

MD EXPLORER®

TABLE OF CONTENTS

		page
1.0	FEATURES AND BENEFITS.....	1
2.0	CERTIFICATION.....	1
3.0	CATEGORY A OPERATIONS.....	3
3.1	Category A take-off.....	3
3.2	Category A landing.....	4
3.3	Clear airfield, heliport, and elevated helipad.....	5
3.4	Maximum take-off and landing weight limits.....	6
3.5	Clear airfield take-off procedures.....	9
3.6	Landing procedures – clear, airfield, heliport and elevated helipad.....	11
4.0	SYSTEM DESCRIPTION.....	12
4.1	Specifications and certifications.....	12
4.2	Rotor.....	13
	4.2.1--- Main rotor head.....	13
	4.2.2--- Main rotor blades.....	14
	4.2.3--- Main rotor data.....	15
4.3	Static support mast.....	15
4.4	Transmission.....	16
4.5	NOTAR® anti-torque system.....	17
	4.5.1--- NOTAR® system operation.....	17
	4.5.2--- NOTAR® fan data.....	18
4.6	Fuselage.....	18
	4.6.1--- Nose section.....	19
	4.6.2---Cockpit.....	19
	4.6.3---Cabin compartment.....	20
	4.6.4---Engine deck.....	20
	4.6.5---Doors.....	20
	4.6.6---Empennage.....	21
	4.6.7---Landing gear.....	22
4.7	Flight control system.....	23
	4.7.1---Mechanical rotor controls.....	24
	4.7.2---Swashplate assembly.....	24
	4.7.3---Dual hydraulic controls.....	25
	4.7.4---Mechanical NOTAR® controls.....	25
	4.7.5---Trim system.....	26
	4.7.6---Vertical stabilizer control system (VSCS)	26
4.8	Propulsion system.....	27
	4.8.1---Engine installation.....	27
	4.8.2---Engine type and performance.....	28
4.9	Fuel system.....	30
4.10	Electrical system.....	31
	4.10.1--Power generation subsystem.....	31
	4.10.2--Power distribution subsystem.....	32
	4.10.3--IIDS.....	33

MD EXPLORER®

TABLE OF CONTENTS

	page
5.0 STANDARD EQUIPMENT.....	34
5.1 Airframe options.....	34
5.2 Interior.....	34
5.3 Engine and Electrical.....	35
5.4 Rotor and Controls.....	35
5.5 Flight and Engine Instruments.....	35
5.6 Miscellaneous.....	35
6.0 OPTIONAL EQUIPMENT.....	36
6.1 Comm/Intercomm.....	36
6.2 Comm/Nav.....	36
6.3 Controls.....	36
6.4 Engine.....	36
6.5 Exterior Accessories.....	37
6.6 Exterior Lights.....	37
6.7 Fuel System.....	37
6.8 Gear/Handling.....	37
6.9 Interior Trim/Lights/Seating.....	37
6.10 Interior Accessories.....	38
6.11 Paint.....	38
6.12 Windows/Canopy.....	38
7.0 PERFORMANCE SPECIFICATIONS.....	39
7.1 Gross weight worksheet.....	41
7.1.1---Weight statement summary.....	42
7.1.2---Hover Ceiling, AEO.....	43
7.1.3---AEO HIGE, standard engine inlet.....	44
7.1.4---AEO HOGE, standard engine inlet.....	45
7.1.5---AEO HIGE, IPS installed.....	46
7.1.6---AEO HOGE, IPS installed.....	47
7.1.7---OEI HOGE, standard engine inlet.....	48
7.1.8---OEI HOGE, IPS installed.....	49
7.1.9---Speed for best range.....	50
7.1.10---Speed for best endurance.....	51
7.1.11---Fuel flow, AEO, SL ISA.....	52
7.1.12---Fuel flow, AEO, 4000 ft Hp ISA.....	53
7.1.13---Fuel flow, AEO, SL, ISA + 20°C.....	54
7.1.14---Fuel flow, AEO, 4000 ft Hp, ISA + 20°C.....	55
7.1.15---Payload – range.....	56
7.1.16---Height velocity diagram.....	57
7.2 Miscellaneous.....	57
7.2.1---Vibrations.....	57
7.2.2---Temperature.....	57
7.2.3---Noise.....	58
8.0 DIRECT OPERATING COSTS.....	59
9.0 DIMENSIONS.....	61
10.0 PRODUCT SUPPORT PLAN.....	63
11.0 TRAINING.....	66

TABLE OF CONTENTS

FIGURES

Figure 1	Take-off Landing With Azimuth Limitations	6
Figure 2	Weight Altitude Temperature Limits – Clear Airfield	7
Figure 2.1	Weight Altitude Temperature Limits – Heliport/Elevated Helipad	8
Figure 3.5.1	Normal take-off and take-off path	9
Figure 3.5.2	Category A rejected take-off	9
Figure 3.5.3	Continued take-off	10
Figure 3.5.4	Normal Take-off Profile – Heliport/Elevated Helipad	10
Figure 3.6.1	Normal Landing Profile	11
Figure 3.6.2	Balked Landing	11
Figure 3.5.3	Continued Landing	11
Figure 5	Main Rotor Head	13
Figure 6	Main Rotor Blades	14
Figure 7	Static Support Mast	15
Figure 8	Transmission	16
Figure 9	NOTAR® Anti-torque System	17
Figure 10	Lower Fuselage	18
Figure 11	Empennage	21
Figure 12	Landing Gear	22
Figure 13	Flight Control System	23
Figure 14	Swashplate Assembly	24
Figure 15	Dual Hydraulic System Components	25
Figure 16	NACA Inlet	27
Figure 17	PW207E Turboshaft Engine Cross-Section	28
Figure 18	Fuel Distribution Subsystem	30
Figure 19	Integrated Instrumentation Display System (IIDS)	33
Figure 20	AEO HIGE, Standard Inlet	44
Figure 21	AEO HOGE, Standard Inlet	45
Figure 22	AEO HIGE, IPS Installed	46
Figure 23	AEO HOGE, IPS Installed	47
Figure 24	OEI HOGE, Standard Inlet	48
Figure 25	OEI HOGE, IPS Installed	49
Figure 26	Speed for Best Range	50
Figure 27	Speed for Best Endurance	51
Figure 28	Fuel Flow, AEO, Sea Level, ISA (15°C)	52
Figure 29	Fuel Flow, AEO, 4000 Feet HP, ISA (7°C)	53
Figure 30	Fuel Flow, AEO, Sea Level, ISA + 20°C (35°C)	54
Figure 31	Fuel Flow, AEO, 4000 Feet HP, ISA + 20°C (27)	55
Figure 32	Payload – Range Capability at 5,000 feet	56
Figure 33	Ambient Temperature Envelope	57
Figure 34	Three-View Drawing	61
Figure 35	Main Cabin Dimensions	62