

# HUGHES TOOL COMPANY

## AIRCRAFT DIVISION

TITLE

EQUIPMENT LIST FOR  
HUGHES MODEL 369H HELICOPTER

**REPORT NO.** 369-E-5003

11 November 1966

NO. PAGES 8 NO. PHOTOGRAPHS \_\_\_\_\_

PREP. BY *R. L. Lambert*  
R. L. Lambert

APPROVED BY *E. Vega*  
E. Vega  
*E. J. Alexander*  
E. J. Alexander

DATE	REVISED BY	PAGES	REMARKS
4-27-67	R. Christensen	1,2,3,4, 5 & 6	Revised Items 7,8,14,18,101,102,103, 105,106,107,108,109,110,111,201,202, 205,401,402,408,421,427,504,506,507, 510,704,803,806,901,902,903,904,906, 907,908,909,910,915,916,917,919,921, 922,923,929 & 932 Deleted Items 601,701,702,801,802,804, 805,807,808,911,912,914,925,926,927, 928 & 933

## EQUIPMENT LIST FOR HUGHES MODEL 369H HELICOPTER

REPORT NO. 369-E-5002  
 PREP. BY D.L.LAMBERT  
 DATE NOV. 11, 1966

DELEGATION OPTION  
 AUTHORIZATION WF-1

DATE	REVISED BY	PAGES	REMARKS
4/27/67	R.CHRISTENSEN	2,5,6,7	ADDED ITEMS 202B,605,606,705,706, 809,810,811,812,813,916B,934A,934B, 935,936
10/12/67	R.CHRISTENSEN	1,2,5,6,7	REVISED ITEMS 5,101,102,103,105,106, 107,108,109,110,111,408,908,915, 916,920,936 CHANGED REPORT TITLE DELETED ITEMS 806,812 ADDED ITEMS 814,937,938,939,940, 941,942
10/24/67	R.CHRISTENSEN	7	ADDED ITEM 943, DELETED ITEM 939
8/23/68	R.CHRISTENSEN	1,2,4,5,6, 7,8	REVISED ITEMS 8,14,903,906,907,935, AND 943 ADDED ITEMS 7A,8A,12A,14A,19,205A, 205B,510A,512,513,703A,707,815,816, 817,901A,929A,929B,937A,937B,944, 945,946,947,948,949,950,951,952, 953,954,955 REMOVED ITEMS 15,16 ADDED PAGE 8
10/24/68	D.E.JOHNERTSON	4	REVISED ITEM 510
5/26/69	D.E.JOHNERTSON	4,6	DELETE ITEM 905, ADD ITEM 514
6/27/69	D.E.JOHNERTSON	4,5	REVISED ITEM 511 707 ADDED ITEMS 708,709
7/11/69	R.L.LAMBERT	6	ADDED ITEMS 921,922
8/27/69	R.CHRISTENSEN	5,6	REVISED ITEMS 921,704 ADDED ITEMS 710,921A

## EQUIPMENT LIST FOR HUGHES MODEL 369H HELICOPTER

REPORT NO. 369-E-5003  
PRFP. BY R.L.LAMBERT  
DATE NOV. 11, 1966

DELEGATION OPTION  
AUTHORIZATION RE-1

DATE	REVISED BY	PAGES	REMARKS
10/2/69	JR. CHRISTENSEN	6,7	MOVED 921,921A TO 956,956A TO CORRECT DUPLICATION OF ITEM 921 WHICH WAS INADVERTENTLY ADDED ON 7/11/69 REVISION DELETED ITEM 922 TO CORRECT DUPLICATION OF ITEM 922 WHICH WAS INADVERTENTLY ADDED ON 7/11/69 REVISION - 922 WAS SAME AS 904 SO IT WAS DELETED
3/27/70	R. CHRISTENSEN	I,II	REVISED REMARKS COLUMN ON 10/2/69 REVISION

EQUIPMENT LIST FOR HUGHES MODEL 369H HELICOPTER

REPORT NO. 369-F-3008  
 PREP. BY P. L. LAMBERT  
 DATE: NOV. 11. 1966

DELEGATION OPTION  
 AUTHORIZATION WF-1

REG. NO.  
 HTC S/N  
 DATE

* QTY	NO.	ITEM	MANUFACTURER PART NUMBER	WT.	ASP
ROTOR AND CONTROLS--MANDATORY (INCLUDING APPROVED ALTERNATES)					
STD	1	BLADES, MAIN ROTOR (4)	HTC-AD369A1100	76.4	100.0
STD	2	DAMPERS, MAIN ROTOR (4)	HTC-AD369A1400	7.3	100.0
STD	3	HUB AND RETENTION INSTL, MAIN ROTOR	HTC-AD369A1200	56.3	100.0
STD	4	BLADES, TAIL ROTOR (2)	HTC-AD369A1710	4.6	282.0
STD	5	TAIL ROTOR ASSY	HTC-AD369A1600	2.2	282.0
STD	6	VIBRATION ABSORBERS, MAIN ROTOR BLADES (4)	HTC-AD369A1110	12.0	100.0
STD	7	CYCLIC STICK, PILOT	HTC-AD369H7131	2.6	63.0
STD	7A	CYCLIC STICK, PILOT	HTC-AD369H7136	1.0	60.7
STD	8	GUARD ASSY-CYCLIC STICK, PILOT	HTC-AD369H7134	0.9	63.7
STD	8A	GUARD ASSY-CYCLIC STICK, PILOT	HTC-AD369H7138	0.5	63.7
STD	9	TRIM ASSY, LATERAL CYCLIC	HTC-AD369A7170	2.0	64.7
STD	10	TRIM ASSY, LONGITUDINAL CYCLIC	HTC-AD369A7171	2.0	68.7
STD	11	CONTROL SYSTEM, ONE WAY LOCK	HTC-AD369A7010	1.2	60.4
STD	12	COLLECTIVE STICK, PILOT	HTC-AD369H7352	1.0	72.1
STD	12A	COLLECTIVE STICK, PILOT	HTC-AD369A7307	1.6	47.0
STD	13	TAIL ROTOR PEDALS, PILOT	HTC-AD369A7502	1.0	42.6
STD	14	TAIL ROTOR PEDAL ARM ASSY, PILOT	HTC-AD369A7509	0.6	42.0
STD	14A	TAIL ROTOR PEDAL ARM ASSY, PILOT	HTC-AD369A7501	0.5	42.0
STD	17	DAMPER LOCK PINS, MAIN ROTOR (4)	HTC-AD369A1005	0.3	100.0
STD	18	BLADE LOCK PINS, MAIN ROTOR (8)	HTC-AD369A1004	1.5	100.0
STD	19	GRIP ASSY-CYCLIC STICK, PILOT	GUARDIAN ELFC. A218-862444-00	1.6	66.6

\* HTC-AD STANDARD OR OPTIONAL EQUIPMENT

EQUIPMENT LIST FOR HUGHES MODEL 369H HELICOPTER

REPORT NO. 369-E-3003  
 PREP. BY R.L.LAMBERT  
 DATE NOV. 11, 1966

DELEGATION OPTION  
 AUTHORIZATION HE-1

REG. NO.  
 HTC S/Y  
 DATE

* QTY	ITEM	MANUFACTURER PART NUMBER	WT.	ARM
BODY ENCLOSURES--MANDATORY (INCLUDING APPROVED ALTERNATES)				
STD	101	COCKPIT DOORS (2) W/O TRIM	HTC-AD369A2002	9.0 43.5
STD	102	ENGINE COMPARTMENT DOORS (2)	HTC-AD369A2024	7.7 156.0
STD	103	EQUIPMENT ACCESS DOORS (2)	HTC-AD369A2004	2.9 53.0
STD	104	MAIN ROTOR TRANSMISSION COVER	HTC-AD369A5010	1.4 103.5
STD	105	FAIRING ASSY, ENGINE INLET, FORWARD	HTC-AD369A2025	4.9 107.6
STD	106	FAIRING ASSY, ENGINE INLET, AFT	HTC-AD369A2014	4.5 138.1
STD	107	COVER ASSY, MAIN TRANSMISSION, AFT	HTC-AD369A5012	0.2 113.0
STD	108	ACCESS DOOR, MAIN TRANSMISSION	HTC-AD369A2019	1.1 107.0
STD	109	ACCESS DOOR, OIL-COOLER (2)	HTC-AD369A2023	1.0 120.5
STD	110	AFT COMP. DOORS (2) W/O TRIM	HTC-AD369A2012	10.9 100.0
STD	111	CANOPY INSTALLATION, FWD	HTC-AD369A2402	15.6 49.0
STD	112	WINDOW INSTALLATION, AFT	HTC-AD369A3029	2.2 103.5
LANDING GEAR--MANDATORY (INCLUDING APPROVED ALTERNATES)				
STD	201	SKID INSTALLATION (2)	HTC-AD369A6100	12.6 79.5
STD	202A	STRUTS, SPLICED (4)	HTC-AD369A6001	16.6 95.0
STD	202B	STRUTS, UNSPLICED (4)	HTC-AD369A6001	15.2 95.0
STD	203	BRACE ASSY (4)	HTC-AD369A6002	4.3 98.5
STD	204	SHOCK ABSORBERS (4)	HTC-AD369A6300	6.4 102.0
STD	205	FAIRINGS, MAIN LANDING GEAR (4)	HTC-AD369A6200	4.4 100.7
STD	205A	FAIRINGS, AFT (2)	HTC-AD369A6200	2.2 127.0
STD	205B	FAIRINGS, FORWARD (2)	HTC-AD369H90062	1.0 73.0
STABILIZERS--MANDATORY (INCLUDING APPROVED ALTERNATES)				
STD	301	VERTICAL STABILIZER, LOWER	HTC-AD369A3650	2.1 283.0
STD	302	VERTICAL STABILIZER, UPPER	HTC-AD369A3625	4.1 283.0
STD	303	HORIZONTAL STABILIZER	HTC-AD369A3600	7.2 280.0
STD	304	STRUT INSTALLATION	HTC-AD369A2001	0.6 234.0

\* HTC-AD STANDARD OR OPTIONAL EQUIPMENT

EQUIPMENT LIST FOR HUGHES MODEL 369H HELICOPTER

REPORT NO. 369-E-5003  
 PREP. BY R.L.LAMBERT  
 DATE NOV. 11, 1966

DELEGATION OPTION  
 AUTHORIZATION AE-1

REG. NO.  
 HTC 87N  
 DATE

* ON NO.	ITEM	MANUFACTURER PART NUMBER	WT.	ARM
ENGINE AND ACCESSORIES--MANDATORY (INCLUDING APPROVED ALTERNATES)				
STD	401	ENGINE (DRY)	ALLISON C250-C18A	136.0 138.4
STD	402	STARTER-GENERATOR	HTC-AD369A4550	17.0 134.0
STD	403	EXHAUST PIPES	HTC-AD369A8228	7.7 160.0
STD	404	BLANKET, FIREWALL	HTC-AD369A3018	1.2 145.0
STD	405	GEAR BOX, MAIN (WITH 6.2 LB OIL)	HTC-AD369A5300	78.8 105.0
STD	406	ENGINE DRIVE SHAFT ASSY.	HTC-AD369A5510	2.9 120.0
STD	407	IMPELLER ASSY, OIL COOLER BLOWER	HTC-AD369A5302	1.0 113.0
STD	408	SCROLL ASSY, OIL COOLER BLOWER	HTC-AD369H5302	1.1 116.5
STD	409	OIL COOLER (DRY)	HTC-AD369A8302	5.0 127.0
STD	410	DEFLECTOR, OIL COOLER	HTC-AD369A8355	0.2 126.5
STD	411	DUCT ASSY, OIL COOLER	HTC-AD369A8304	10.7 122.0
STD	412	FUEL CELLS (DRY)	HTC-AD369H8101	10.8 98.0
STD	413	OIL TANK (DRY)	HTC-AD369A8301	1.2 130.5
STD	414	OIL, ENGINE LUBRICATION (5.9 LB. DRAINABLE, 1.5 LB. TRAPPED)	HTC-AD369A8301	7.4 130.0
STD	415	SHUT-OFF VALVE FUEL SYSTEM	HTC-AD369A8104	0.2 92.0
STD	416	TACH. GENERATOR (2)	HTC-AD369A4517	1.6 131.0
STD	417	TACH GENERATOR (N1)	HTC-AD369A4517	0.8 117.0
STD	418	OIL TEMPERATURE SENDER	HTC-AD369A4533	0.1 131.5
STD	419	OIL PRESSURE SENDER	HTC-AD369A4534	0.4 131.5
STD	420	GEAR BOX, TAIL ROTOR (WITH OIL)	HTC-AD369A5304	8.0 282.0
STD	421	DRIVE SHAFT, TAIL ROTOR	HTC-AD369A5518	5.6 197.0
STD	422	CLUTCH ASSY, MAIN DRIVE SHAFT	HTC-AD369A5350	4.3 125.0
STD	423	DRIVE SHAFT, MAIN ROTOR (OR ITEM 424)	HTC-AD369A5520	12.0 100.4
STD	424	DRIVE SHAFT, MAIN ROTOR	HTC-AD369A5500	9.6 100.4
STD	425	ENGINE COOLING DUCTS	HTC-AD369A8008	1.3 130.0
STD	426	COUPLING ASSY.	HTC-AD369A8084	0.2 130.0
STD	427	FUEL CELL PADS (SHIPS NO. 1 AND 2 ONLY)	HTC-AD369A2500	1.8 115.0

\* HTC-AD STANDARD OR OPTIONAL EQUIPMENT

EQUIPMENT LIST FOR HUGHES MODEL 369H HELICOPTER

REPORT NO. 369-E-5003  
 PREP. BY R.L.LAMBERT  
 DATE NOV. 11, 1966

DELEGATION OPTION  
 AUTHORIZATION WE-1

REG. NO.  
 HTC S/N  
 DATE

\* ON NO. ITEM MANUFACTURER PART NUMBER WT. ASY

INSTRUMENTS--MANDATORY  
 (INCLUDING APPROVED ALTERNATES)

STD	501	AIRSPD INDICATOR	HTC-AD369H4506	0.6	46.0
STD	502	ALTIMETER	HTC-AD369H4505	1.4	41.0
STD	503	COMPASS, MAGNETIC	HTC-AD369H4508	0.6	37.0
STD	504	TORQUE INDICATOR	HTC-AD369H4526	0.5	47.7
STD	505	TEMPERATURE INDICATOR, TURBINE	HTC-AD369A4521	0.7	42.0
STD	506	4-PACK IND.-ENGINE OIL TEMP., ENGINE OIL PRESS., AMMETER, FUEL QTY	HTC-AD369H4502	0.8	49.2
STD	507	TACHOMETER, DUAL, N2 AND NR	HTC-AD369H4508	1.3	47.4
STD	508	TACHOMETER, N1	HTC-AD369A4516	0.8	46.7
STD	509	TANK UNIT, FUEL QUANTITY	HTC-AD369A4245-501	0.4	95.0
STD	510	PITOT TUBE ASSY	HTC-AD369H4226	0.1	35.7
STD	510A	PITOT TUBE ASSY	HTC-AD369A4250	0.1	35.7
STD	511	CONTROL UNIT, WARNING ENG. OUT	HTC-AD369A4540	0.3	58.4
STD	512	ENGINE OIL TEMP., PRESS., AMMETER	HTC-AD369A4230	0.5	48.2
STD	513	FUEL QUANTITY INDICATOR	HTC-AD369A4525	0.3	48.7
STD	514	OUTSIDE AIR TEMP INDICATOR	HTC-AD369H4515	0.2	34.0

ELECTRICAL EQUIPMENT--MANDATORY  
 (INCLUDING APPROVED ALTERNATES)

STD	602	VOLTAGE REGULATOR	HTC-AD369A4552	1.2	48.1
STD	603	RELAY, STARTER	AN3371-2	1.3	130.5
STD	604	RELAY, REVERSE CURRENT	HARTMAN A700-XA	2.7	126.4
STD	605	BATTERY (NICKEL-CAD)	HTC-AD369A4556	22.7	49.2
STD	606	RELAY, OVERVOLTAGE	HTC-AD369A4557	0.1	50.0

\* HTC-AD STANDARD OR OPTIONAL EQUIPMENT

## EQUIPMENT LIST FOR HUGHES MODEL 369H HELICOPTER

REPORT NO. 369-E-5003  
 PREP. BY R.L.LAMBERT  
 DATE NOV. 11, 1966

DELEGATION OPTION  
 AUTHORIZATION WE-1

REG. NO.  
 HTC S/N  
 DATE

* QTY	NO.	ITEM	MANUFACTURER PART NUMBER	WT.	ARM
INTERIOR FURNISHINGS AND EQUIPMENT--MANDATORY (INCLUDING APPROVED ALTERNATES)					
STD	703	SEAT BELTS, PILOT, CO-PILOT/PASSENGER (2)	HTC-AD369H4517	1.8	75.0
STD	703A	SEAT BELTS, PILOT, CO-PILOT/PASSENGER (2)	HTC-AD369H6512	2.1	75.0
STD	704	APPROVED ROTORCRAFT FLIGHT MANUAL		1.0	85.0
STD	705	SEAT INSTL., PILOT	HTC-AD369H4728	7.2	75.0
STD	706	SEAT INSTL., CO-PILOT/PASSENGER	HTC-AD369H4725	7.2	75.0
STD	707	SEAT INSTALLATION PILOT AND CO-PILOT	HTC-AD369A2005	6.0	78.0
STD	708	VHF COMM	HTC-AD369H90064-5	10.0	41.1
STD	709	HEADSET, BOOM MICROPHONE (PILOT)	HTC-AD369H92400	0.8	73.5
STD	710	ENG. PWR. OUT, AUDIBLE WARNING	HTC-AD369H6457	0.2	47.0
ELECTRONIC EQUIPMENT--NON MANDATORY					
OPT	803	NAV/COMM (KX-160)	HTC-AD369H90022		
OPT	809	VHF COMM (KY-95)	HTC-AD369H90021		
OPT	810	NAV COMM AND ADF (KX-160 AND KR-80)	HTC-AD369H90024		
OPT	811	NAV COMM AND ADF AND DME (KX-160 AND KP-80 AND KN-60)	HTC-AD369H90025	32.1	48.6
OPT	812	NAV COMM AND DME (KX-160 AND KN-60)	HTC-AD369H90023		
OPT	814	NAV COMM AND ADF AND DME (CNS-220 AND KR-80 AND KN-60)	HTC-AD369HSK-73	30.2	48.6
OPT	815	VHF COMM (2)	BENDIX RT221-AE	9.6	46.0
OPT	816	ADF NAV	KING KR-80	8.0	46.0
OPT	817	IC ADAPTER	HTC-AD369H4308	1.0	44.0

\* HTC-AD STANDARD OR OPTIONAL EQUIPMENT



EQUIPMENT LIST FOR HUGHES MODEL 369H HELICOPTER

REPORT NO. 369-E-3000  
 PREP. BY P.L.LAMPERT  
 DATE NOV. 11, 1966

DELEGATION OPTION  
 AUTHORIZATION HE-1

REG. NO.  
 HTC S/N  
 DATE

* QTY	NO.	ITEM	MANUFACTURER PART NUMBER	WT.	ASST
MISCELLANEOUS EQUIPMENT--NON-MANDATORY					
OPT	901	ATTITUDE GYRO	HTC-AD369H90041	3.0	43.0
OPT	901A	ATTITUDE INDICATOR	HTC-AD369A4502	2.5	45.6
OPT	902	DIRECTIONAL GYRO	HTC-AD369H90042	3.0	43.0
OPT	903	CLOCK, STOP WATCH TYPE	HTC-AD369H4250-7	0.8	45.0
OPT	904	RATE-OF-CLIMB INDICATOR	HTC-AD369H90044	1.0	45.0
OPT	905	RUNNING TIME METER	HTC-AD369H90027	1.0	52.0
OPT	907	NIGHT LIGHTS	HTC-AD369H90062	4.9	73.0
OPT	908	INVERTER INSTL	HTC-AD369H4219	1.1	65.5
STD	909	CARPETING		7.0	90.0
STD	910	INSULATION AND INTERIOR TRIM		53.9	108.0
STD	913	AFT COMPT. SEAT, DUAL (ITEM 915 REQUIRED WHEN INSTALLED)	HTC-AD369H4711	18.7	107.0
STD	915	SEAT BELTS AND HARNESS, AFT (2)	HTC-AD369H90036	3.2	107.0
OPT	916A	SEAT BELTS, HARNESS, AND INERTIA REEL, COCKPIT (1) (SAM PROXME)	HTC-AD369H90039	2.1	75.0
OPT	916B	SEAT BELTS, HARNESS, AND INERTIA REEL, COCKPIT (2) (SAM PROXME)	HTC-AD369H90039	4.2	75.0
STD	917	SEAT, CENTER, PASSENGER ITEM 918 OR 919 AND 920 REQUIRED WHEN INSTALLED	HTC-AD369H4728	5.1	73.0
STD	918	PANEL PILOT'S SEAT	HTC-AD369H2005	1.2	73.0
OPT	919	PANEL PILOT'S SEAT (SHIP NO. 1 ONLY) (PLYWOOD COPE)	HTC-AD369H2005	2.4	73.0
STD	920	SEAT BELT W/HARNESS, FWD, CENTER	HTC-AD369H4527	1.7	75.0
OPT	921	DUAL CONTROLS	HTC-AD369H90033	10.8	67.0
OPT	922	FIRE EXTINGUISHER	HTC-AD369H90001-1	5.3	59.4
OPT	923	FIRST AID KIT	HTC-AD369H90003	1.8	87.0
STD	924	CARGO TIE-DOWN FITTINGS (4)	HTC-AD369A2009	0.5	100.0
OPT	929	HEATING SYSTEM INSTL.	HTC-AD369H90020-501	9.0	106.7
OPT	929A	HEATING SYSTEM INSTL.	HTC-AD369A8050	9.6	106.5
OPT	930	WINDOW AFT (.250 THICK) (MAY BE SUBSTITUTED FOR ITEM 112)	HTC-AD369A3029	5.0	108.5
OPT	931	CANOPY INSTL. (MAY BE SUBSTITUTED FOR ITEM 111) (.125 UPPER WINDSHIELD)	HTC-AD369A2402	12.2	53.6
STD	932	MARCASE	HTC-AD369H4701	1.4	86.0

\* HTC-AD STANDARD OR OPTIONAL EQUIPMENT

EQUIPMENT LIST FOR HUGHES MODEL 369H HELICOPTER

REPORT NO. 369-E-5003  
 PREP. BY R.L.LAMBERT  
 DATE NOV. 11, 1966

DELEGATION OPTION  
 AUTHORIZATION AE-1

REG. NO.  
 HTC S/N  
 DATE

* ON NO.	ITEM	MANUFACTURER PART NUMBER	WT.	ARM
MISCELLANEOUS EQUIPMENT--NON-MANDATORY (CONTINUED)				
OPT	934A	INERTIA REEL WITH YOKE HARNESS	HTC-AD369H4706	2.3 75.0
OPT	934B	INERTIA REEL WITH YOKE HARNESS AND BELT (1), COCKPIT AND BELT (2), COCKPIT	HTC-AD369H4706	4.6 75.0
OPT	935	SELF-SEALING FUEL SYSTEM	HTC-AD369H90029	21.2 98.9
OPT	935A	SELF-SEALING FUEL SYSTEM	HTC-AD369A8102	21.2 98.9
STD	936	AFT JACKING POINT (ON BOOK)	HTC-AD369H90048	0.1 197.2
OPT	937	COCKPIT DOORS (2) W/O TRIM	HTC-AD369H5K-78	14.4 63.5
OPT	937A	COCKPIT DOORS (2) W/O TRIM	HTC-AD369A2002 -505,-506	13.4 63.5
OPT	938	AFT COMPARTMENT DOORS	HTC-AD369H5K-78	18.5 100.0
OPT	940	TRIM ASSY., LAT., L CYCLIC (ALTERNATE TO ITEM 9)	HTC-AD369A7170-15	2.0 68.5
OPT	941	TRIM ASSY., LONG. CYCLIC (ALTERNATE TO ITEM 10)	HTC-AD369A7171-15	2.0 68.5
OPT	942	CANOPY INSTL., FWD (ALTERNATE TO ITEM 111)	HTC-AD369A2402-501	21.3 49.2
STD	943	PUMP INSTL., HIGH ALTITUDE START	HTC-AD369A8103	2.1 93.5
OPT	944	CYCLIC STICK, COPILOT	HTC-AD369H7845	1.0 60.7
OPT	945	GRIP ASSY, CYCLIC, COPILOT	GUARDIAN ELEC A218-962444-00	1.6 66.6
OPT	946	GUARD ASSY, CYCLIC, COPILOT	HTC-AD369H7138	0.5 63.1
OPT	947	COLLECTIVE STICK, COPILOT	HTC-AD369A7807	1.1 67.9
OPT	948	T/R PEDALS, COPILOT	HTC-AD369A7502	1.0 42.6
OPT	949	T/R PEDAL ARM ASSY., COPILOT	HTC-AD369A7509	0.6 42.1
OPT	950	T/R PEDAL ARM ASSY., COPILOT	HTC-AD369A7501	0.5 42.1
OPT	951	AC INVERTER	HTC-AD369A4554	1.0 66.0
OPT	952	SEAT BELT, PASSENGER COMPT. (2)	HTC-AD369H6511	2.4 107.0
OPT	953	HARNESS ASSY, PILOT AND CO-PILOT	HTC-AD369H6514	2.8 78.0
OPT	954	HARNESS ASSY, PASS. COMPT. (2)	HTC-AD369H6513	1.0 110.0
OPT	955	ENGINE COMPARTMENT DOORS (2)	HTC-AD369A2024	7.6 156.0
OPT	956	CARGO SWING INSTL	HTC-AD369H90017	29.0 96.9
OPT	956A	CARGO SWING INSTL	HTC-AD369H90017-501	30.0 96.9
OPT	956B	CARGO SWING INSTL	HTC-AD369H90017-701	29.0 96.9
OPT	956C	CARGO SWING INSTL	HTC-AD369H90017-703	30.0 96.0

\* HTC-AD STANDARD OR OPTIONAL EQUIPMENT

EQUIPMENT LIST FOR HUGHES MODEL 369H HELICOPTER

DISTRIBUTION LIST

E. J. ALEXANDER  
I. W. BRANCH  
E. J. CURRIER  
J. J. DILLON  
ADM. E. R. EASTWOLD (2)  
R. FERRY  
A. K. GRIGGS  
✓ N. B. HIRSH  
L. B. KILMAN  
W. R. LEEDOM  
M. I. LEIP  
R. I. MUELLER  
J. F. NEEDHAM  
D. E. SHRY  
H. G. SMITH  
D. C. FILE  
FAA  
LIBRARY (2)  
WEIGHTS (6)